FOUNDATION PLAN

Scale: 1/4" = 1'-0"

GENERAL NOTES:

1. == == INDICATES MAJOR WALLS ABOVE

2. -- -- INDICATES FACE OF FOOTING

3. INDICATES DIMENSION TO OUTSIDE FACE OF STUD ABOVE. CONTRACTOR TO ALLOW FOR BRICK LEDGE PAST THIS.

4. FOUNDATION SHALL BE CONSTRUCTED AS A CONCRETE SLAB ON STEM WALL FOUNDATION.

SCALE OF THE DRAWING:


Scales as stated on this drawing are valid on the original drawing only, the dimension of which is 24 x 36 inches.

Date 07/31/2019

Council Fire

Drawn

REVISIONS BY



SCALE OF THE DRAWING: Scales as stated on this

drawing are valid on the original drawing only, the dimension of which is 24 x 36 inches.

Date 07/31/2019

Scale AS NOTED

Council Fire

Drawn TMG

A-2

Sheet

REVISIONS BY

GENERAL NOTES:

WALLS ARE 2X4, UNLESS NOTED OTHERWISE

INDICATES STUD WALL

3. INDICATES BRICK VENEER

4. WILLATION DRAWN AT INTERIOR WALLS IS SOUND BATT

5. |-0" | INDICATES DIMENSION TO A FINISHED SURFACE

6. | 1'-0" | INDICATES DIMENSIONS TO FACE OF FRAMING

TYPICAL CEILING HEIGHT 9'-0" UNLESS NOTED OTHERWISE 8. DOOR AND CASED/UNCASED OPENING HEIGHT IS 8'-0" U.O.N

INDICATES CARBON MONOXIDE DETECTOR TO BE HARDWIRED INDICATES SMOKE DETECTOR TO BE HARDWIRED


11. C.O. DENOTES CASED OPENING 12, REFER TO OWNER SPECIFICATIONS FOR FURTHER NOTES AND INFORMATION.

13. OUTLETS SHALL BE LOCATED HORIZONTAL IN BASE BOARDS UNLESS OTHERWISE NOTED 14. CONFIRM OUTLET LOCATIONS @ MILLWORK W/ OWNER,


ARCHITECT, AND BUILDER PRIOR TO FABRICATION, AT THE TIME OF ELECTRICAL WALK THROUGH. 14. PROVIDE GFCI OUTLETS WITHIN 36" OF WATER.


FIRST FLOOR PLAN

Scale: 1/4" = 1'-0"



REVISIONS BY





SECOND FLOOR PLAN

Scale: 1/4" = 1'-0"

9. INDICATES CARBON MONOXIDE DETECTOR TO BE HARDWIRED INDICATES SMOKE DETECTOR TO BE HARDWIRED 11. C.O. DENOTES CASED OPENING 12, REFER TO OWNER SPECIFICATIONS FOR FURTHER NOTES AND

4. MINDICATES INSULATION
DRAWN AT INTERIOR WALLS IS SOUND BATT

5. | INDICATES DIMENSION TO A FINISHED SURFACE

6. | "-0" | INDICATES DIMENSIONS TO FACE OF FRAMING

7. TYPICAL CEILING HEIGHT 9'-0" UNLESS NOTED OTHERWISE

8. DOOR AND CASED/UNCASED OPENING HEIGHT IS 8'-0" U.O.N

GENERAL NOTES:

3. INDICATES BRICK VENEER

13. OUTLETS SHALL BE LOCATED HORIZONTAL IN BASE BOARDS

UNLESS OTHERWISE NOTED 14. CONFIRM OUTLET LOCATIONS @ MILLWORK W/ OWNER,
ARCHITECT, AND BUILDER PRIOR TO FABRICATION, AT THE

A-3 TIME OF ELECTRICAL WALK THROUGH. 14. PROVIDE GFCI OUTLETS WITHIN 36" OF WATER.

SCALE OF THE DRAWING:

Scales as stated on this drawing are valid on the original drawing only, the dimension of which is 24 x 36 inches.


Date 07/31/2019

Scale AS NOTED

Council Fire

Drawn TMG

Sheet



ROOF PLAN

Scale: 1/4" = 1'-0"

ROOF NOTES:

- 1. PROVIDE RIDGE AND HIPPED RIDGE SHINGLES TYPICAL
 2. PROVIDE VENT SCREENS AT SOFFIT FOR BATT INSULATION
- IN LIEU.
- 3. PROVIDE ICYNENE AT ATTIC
 4. CONTRACTOR TO PROVIDE FIBERGLASS SHINGLE ROOFING.
- 5. PROVIDE 2 LAYERS 30 LB FELT UNDERLAYMENT IN AREAS LESS THAN 4/12 PITCH.
- 6. METAL VALLEYS ARE BASE BID, TYPICAL.

 1. PROVIDE 9" STARTER COURSE AT PERIMETER OF ROOF

REFERENCE POINTS:

THE DIMENSIONS GIVEN ARE NOMINAL AND ARE FOR REFERENCE ONLY.

0'-0" FIRST FLOOR FINISHED FLOOR

DIMENSIONS FOR B.O. EAVE ARE GIVEN FROM FIRST FLOOR FINISHED FLOOR UNLESS OTHERWISE NOTED.

CONTRACTOR TO REFER TO EAVE DETAILS, WALL AND BUILDING

SECTION(S) FOR MORE INFO.

PACETRAIL, RINGGOLD, GA30136

REVISIONS BY

S

SCALE OF THE DRAWING: Scales as stated on this drawing are valid on the original drawing only, the dimension of which is 24 x 36 inches.

Date 07/31/2019

Scale AS NOTED

Drawn TMG

Council Fire
Sheet

A-4